SONY
make.believe

Enjoy the crisp and clear sound of your MP3/WMA/AAC[1] files with CD or control your digital music using the USB 1-wire on your Sony® CDX-GT56UIW. You can also fine tune your listening experience with the Advanced Sound Engine processor.

Bullets

- Detach face with LCD display and front aux input
- Front USB input for iPod®[2], iPhone® & USB music players
- MP3/WMA/AAC[1] playback with DM+ enhancement technology
- Intuitive Quick-BrowZer® and ZAPPIN™ search features
- Advanced Sound Engine and 52 Watts x 4 High Power
- 2 Volt rear/sub selectable preamp outputs
- Automatic Level Optimizer
- Wireless card remote included (RM-X211)
- Radio Data System (RDS)
- Red key illumination

Specifications

Amplifier Section	
Max power output	52 watts x 4 at 4 ohms
Power Ad Hoc	CEA2006 Standard Power: 17 Watts RMS per channel into 4 Ohms, 4 channels driven from 20 Hz to 20 kHz with less than 1% THD+N.
Speaker Impedance	4-8 Ohms
AMP & General Feature	
Automatic Level Optimizer	Yes
Aux-In	Yes (Front)
DM+ (Codec enhancer)	Yes(Gen2.1)
EQ	EQ7: 7 band EQ with +/- 6 dB adjustment at 63 Hz, 160 Hz, 400 Hz, 1000 Hz, 2.5 kHz, 6.3 kHz and 16 kHz.
High Pass Filter	Selectable on/off at: 50, 60, 80, 100 or 120 Hz.
Loudness	Dynamic Loudness
Low Pass Filter	Selectable on/off at: 50, 60, 80, 100 or 120 Hz.
Output Power (4ohm, 1kHz,16V)(W)	52 watts x 4
Pre Out	(1) Rear / Sub switchable
Rear/Sub initial	Sub
Rear Bass Enhancer	Yes
Time Alignment Custom	Yes (Adjustment)
Time Alignment Preset	Yes
USB	Yes (Front)
Audio	
Band	AM / FM

SONY
make.believe

Equalizer	EQ7: 7 band EQ with +/- 6 dB adjustment at 63 Hz, 160 Hz, 400 Hz, 1000 Hz, 2.5 kHz, 6.3 kHz and 16 kHz.
Format(s) Supported	MP3/WMA/AAC files[1]
Preout Impedance	220 ohms
Preout Voltage	2 volt
S/N Ratio	Audio Power: CEA2006 S/N 80 dBA
Signal-to-Noise Ratio (dB)	CD: 120 dB
Station Preset(s)	18 FM / 12 AM
Tuner Frequency Range	FM (MHz): 87.5-107.9 AM (kHz): 530-1710
Tuner Type	SSIR-EXA with RDS
Wow and Flutter	Below measurable limit
AUX in Feature	
Level Adjustment	Yes (-8dB / +18dB)
Convenience	
Tilt Range	0-45° mounting angle
Convenience Features	
Dimmer Adjust	Manual
Key Illumination	Red
On-Screen Clock	12H
Display	
Display Color	Black / Negative Color
Display Technology	LCD
Text Displayed	Source, artist, track, playback time, menu and clock
Text Lines	1 line of information
Display Panel	
Auto off mode	Yes
Dimmer Adjust	Manual
Panel Design	
Display color (Color Variation/Nega or Posi)	Black color / Negative
Display Device (LCD/FL/OEL/TFT)	LCD
Key Illumination	RED
Panel finish color	Black (Bare)
Feature	
CODEC (for USB)	MP3, WMA, AAC[1]
Jump Mode	Yes
List Browsing (Folders/Files)	Yes
Pause	Yes
Repeat	OFF/ TRACK/ ALBUM
Resume Play	Yes
Shuffle	OFF/ALBUM/DEVICE
ZAPPIN	Yes
General	
CEA2006 output power	17

SONY
make.believe

CEA2006 S/N	80
Dimensions (WxHxD) (mm)	178x50x180
Maximum output power (4ohm, 1kHz, 16V)(W)	52
Mounting dimensions (WxHxD)(mm)	182 x 53 x 162
Preout impedance (ohms)	220
Preout output level (V)	2
Weight (kg)	1.2

Inputs and Outputs

12V Trigger Output(s)	Power amplifier turn on
Antenna Terminal(s)	AM/FM Antenna Input Terminal
Audio In	Front Aux in with variable level Front USB input
Digital Audio Input(s)	Ability to use all forms of USB devices may vary as not all devices are compatible. This unit is compliant with MSC (Mass Storage Class) and MTP (Media Transfer Protocol) type USB devices compliant with the USB standard. This unit cannot recognize USB devices via a USB hub. This unit can be connected to the following iPods. Update your iPod to the latest software before you use it. iPod Nano 1st - 6th generation iPod Touch 1st - 4th generation iPod Classic iPod with video iPhone iPhone 3G iPhone 3GS iPhone 4 If you have any questions or problems concerning your unit that are not covered in the owners manual, consult your nearest Sony dealer.
Infrared Port	Wireless remote
RCA Audio Output(s)	Rear/Subwoofer selectable RCA pre-amp outputs
Remote Jack	Optional wired remote terminal
USB Port(s)	Front

iPod Control Feature

Accessory Information	Yes
CODEC (for iPod)	depend on iPod content
List Browsing (Folders / Files)	Quick-BrowZer®
Passenger Control	Yes
Pause	Yes
Repeat	Yes (Track, Album, Artist, Playlist, Genre, Podcast)
Resume Play	Yes
Shuffle	Yes (Genre, Album, Artist, Playlist, Device, Podcast)
ZAPPIN	Yes

USB Capable

USB Mass Storage Device	Yes

Other Features

Card Remote ( ): Option	RM-X211
CD lock mode	Yes
Clock	12H
Rotary commander ( ):Option	(RM-X4S)
Security	Detachable

Tuner

SONY
make.believe

FM Usable Sensitivity	8 dBf
Frequency Response	FM: 20-15,000 Hz
S/N Ratio	80 dB (stereo)
Selectivity	75 dB at 400 kHz
Stereo Separation	50 dB at 1 KHz
FM: Channel separation (dB)	50 dB at 1 kHz
FM: Frequency response (Hz)	20 - 15k
FM: Intermediate frequency (MHz)	25KHz
FM: S/N ratio (mono) (dB)	80 dB stereo
FM: Selectivity (400 kHz) (dB)	75 dB
FM: Tuning range (MHz)	87.5-107.9
FM: Usable sensitivity (75 ohm) (dBf)	8 dBf
MW: Tuning range(kHz)	530-1710
MW/LW/SW: Sensitivity (75 ohm) MW/LW/SW(uV)	26/-/-

Tuner Feature

Preset	FM18/AM12
RDS/EON (NA Only:RBDS, Others:RDS)	Yes (RBDS)

Weights and Measurements

Dimensions (Approx.)	178 x 50 x 180 mm, 7.125 x 2 x 7.125 inch (w/h/d)
Dimensions (Approx) Depth	7.125" (180 mm)
Dimensions (Approx) Height	2" (50 mm)
Dimensions (Approx) Width	7.125" (178 mm)
Weight (Approx.)	1.2 kg (2 lb. 11 oz.)

Supplied Accessories

Supplied Accessories	Parts for installation and connections (1 set) RM-X211 wireless remote

Optional Accessories

Optional Accessories	USB Connection Cable for iPod®: RC-100IP

1. Copy-protected content not supported.

2. Works with iPod touch® 1st - 4th generation, iPod nano® 1st - 6th generation, iPod classic®, iPod® with video, and iPhone® 3G, 3GS and 4.

© 2011 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, ZAPPIN, Walkman, Quick-BrowZer and their respective logos are trademarks of Sony. iPod, iPod classic, iPod nano, and iPhone are trademarks of Apple Inc. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice.

Updated: September 9, 2011